


CANNULATED SYSTEM

CANNULATED SCREWS SYSTEM



edition
2022

 **Auxein**[®]

about us

Auxein Medical is an integrated, research based, orthopaedic Implants & Instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and innovator products that exceed the highest expectations of our customers in term of quality and safety. The company has world-class manufacturing unit established in India and serves customers in over 60 countries worldwide.

Our Achievements

- US FDA 510K APPROVED •**
(Arthroscopy, Spine, Nailing, Locking Plates & Screws)
- EC Certificate - Class IIa & IIb •
- ISO 13485:2016 •
- ISO 9001:2015 •
- India FDA Approved •
- India MDR 2017 •

Orthopaedic Implants

Index

3.0mm Cannulated Screws	1-4
3.5mm Cannulated Screws	5-10
4.0mm Cannulated Screws	11-17
4.5mm Cannulated Screws	18-24
6.5mm Cannulated Screws	25-27
7.0mm Cannulated Screws	28-38
7.3mm Cannulated Screws	39-49

3.0mm Cannulated Screws

3.0mm Cannulated Cancellous Screw, Short Thread

Length (mm)	Stainless Steel	Titanium
10	123.010	TI-123.010
12	123.012	TI-123.012
14	123.014	TI-123.014
16	123.016	TI-123.016
18	123.018	TI-123.018
20	123.020	TI-123.020
22	123.022	TI-123.022
24	123.024	TI-123.024
26	123.026	TI-123.026
28	123.028	TI-123.028
30	123.030	TI-123.030
32	123.032	TI-123.032
34	123.034	TI-123.034
36	123.036	TI-123.036
38	123.038	TI-123.038
40	123.040	TI-123.040
42	123.042	TI-123.042
44	123.044	TI-123.044
46	123.046	TI-123.046
48	123.048	TI-123.048
50	123.050	TI-123.050


3.0mm Cannulated Cancellous Screw, Long Thread

Length (mm)	Stainless Steel	Titanium
14	123.214	TI-123.214
16	123.216	TI-123.216
18	123.218	TI-123.218
20	123.220	TI-123.220
22	123.222	TI-123.222
24	123.224	TI-123.224
26	123.226	TI-123.226
28	123.228	TI-123.228
30	123.230	TI-123.230
32	123.232	TI-123.232
34	123.234	TI-123.234
36	123.236	TI-123.236
38	123.238	TI-123.238
40	123.240	TI-123.240
42	123.242	TI-123.242
44	123.244	TI-123.244
46	123.246	TI-123.246
48	123.248	TI-123.248
50	123.250	TI-123.250


Washer For Small Fragment Screw

	Stainless Steel	Titanium
Code	100.110	TI-100.110



2190-2.0-150 Cannulated Drill Bit with Quick Coupling End, Ø2.0mm x Length 150mm



3767-1.1 Double Drill Guide, Ø2.0/1.1mm



3433-01 Cannulated Screwdriver, Hex 2.5mm



3446-000 Fiber Handle with Quick Coupling, Cannulated





3430-03 Cannulated Countersink with Quick Coupling for Ø3.0mm Screw



3436-09 Stylet Ø1.1mm



3426-03 Guide Wire, Ø1.1mm x Length 150mm**3438-17** Direct Measuring Device for Cannulated Screw Ø3.0mm**3425-000** Holding Clip for Washer**3415-000** Screw Holding Forcep**7-120-01** Instrument Tray for 3.0mm Cannulated Cancellous Screw Instrument Set**7-120-02** Container for 3.0mm Cannulated Cancellous Screw Instrument Set

2335-000 3.0mm Cannulated Cancellous Screw Instrument Set


Item Code	Item Name	Unit
2190-2.0-150	Cannulated Drill Bit with Quick Coupling End, Ø2.0mm x Length 150mm	2
3767-1.1	Double Drill Guide, Ø2.0/1.1mm	1
3433-01	Cannulated Screwdriver, Hex 2.5mm	1
3446-000	Fiber Handle with Quick Coupling, Cannulated	1
3430-03	Cannulated Countersink with Quick Coupling for Ø3.0mm Screw	1
3436-09	Stylet Ø1.1mm	1
3426-03	Guide Wire, Ø1.1mm x Length 150mm	10
3438-17	Direct Measuring Device for Cannulated Screw Ø3.0mm	1
3425-000	Holding Clip for Washer	1
3415-000	Screw Holding Forcep	1
7-120-01	Instrument Tray for 3.0mm Cannulated Cancellous Screw Instrument Set	1
7-120-02	Container for 3.0mm Cannulated Cancellous Screw Instrument Set	1

3.5mm Cannulated Screws

3.5mm Cannulated Cortical Screw, Short Thread

Length (mm)	Stainless Steel	Titanium
10	121.010	TI-121.010
12	121.012	TI-121.012
14	121.014	TI-121.014
16	121.016	TI-121.016
18	121.018	TI-121.018
20	121.020	TI-121.020
22	121.022	TI-121.022
24	121.024	TI-121.024
26	121.026	TI-121.026
28	121.028	TI-121.028
30	121.030	TI-121.030
32	121.032	TI-121.032
34	121.034	TI-121.034
36	121.036	TI-121.036
38	121.038	TI-121.038
40	121.040	TI-121.040
42	121.042	TI-121.042
44	121.044	TI-121.044
46	121.046	TI-121.046
48	121.048	TI-121.048
50	121.050	TI-121.050


3.5mm Cannulated Cortical Screw, Full Thread

Length (mm)	Stainless Steel	Titanium
10	121.210	TI-121.210
12	121.212	TI-121.212
14	121.214	TI-121.214
16	121.216	TI-121.216
18	121.218	TI-121.218
20	121.220	TI-121.220
22	121.222	TI-121.222
24	121.224	TI-121.224
26	121.226	TI-121.226
28	121.228	TI-121.228
30	121.230	TI-121.230
32	121.232	TI-121.232
34	121.234	TI-121.234
36	121.236	TI-121.236
38	121.238	TI-121.238
40	121.240	TI-121.240
42	121.242	TI-121.242
44	121.244	TI-121.244
46	121.246	TI-121.246
48	121.248	TI-121.248
50	121.250	TI-121.250



3.5mm Cannulated Cortical Screw, Short Thread, Self-Tapping

Length (mm)	Stainless Steel	Titanium
10	121.310	TI-121.310
12	121.312	TI-121.312
14	121.314	TI-121.314
16	121.316	TI-121.316
18	121.318	TI-121.318
20	121.320	TI-121.320
22	121.322	TI-121.322
24	121.324	TI-121.324
26	121.326	TI-121.326
28	121.328	TI-121.328
30	121.330	TI-121.330
32	121.332	TI-121.332
34	121.334	TI-121.334
36	121.336	TI-121.336
38	121.338	TI-121.338
40	121.340	TI-121.340
42	121.342	TI-121.342
44	121.344	TI-121.344
46	121.346	TI-121.346
48	121.348	TI-121.348
50	121.350	TI-121.350



3.5mm Cannulated Cortical Screw, Full Thread, Self-Tapping

Length (mm)	Stainless Steel	Titanium
10	121.410	TI-121.410
12	121.412	TI-121.412
14	121.414	TI-121.414
16	121.416	TI-121.416
18	121.418	TI-121.418
20	121.420	TI-121.420
22	121.422	TI-121.422
24	121.424	TI-121.424
26	121.426	TI-121.426
28	121.428	TI-121.428
30	121.430	TI-121.430
32	121.432	TI-121.432
34	121.434	TI-121.434
36	121.436	TI-121.436
38	121.438	TI-121.438
40	121.440	TI-121.440
42	121.442	TI-121.442
44	121.444	TI-121.444
46	121.446	TI-121.446
48	121.448	TI-121.448
50	121.450	TI-121.450



Washer For Small Fragment Screw

	Stainless Steel	Titanium
Code	100.110	TI-100.110




2103-2.7-160

Cannulated Drill Bit Plain Shank/Jacob Chuck, Ø2.7mm x Length 160mm


3435-01

Stopper for Drill Bit Ø2.7mm


3435-02

Cannulated Drill Bit with Quick Coupling, Ø3.5mm x Length 160mm


3767-2.7

Double Drill Guide, Ø2.7/2.0mm


3767-3.5

Double Drill Guide, Ø2.5/3.5mm


3434-000

Double Drill Guide, Ø3.5/2.7mm


3433-01

Cannulated Screwdriver, Hex 2.5mm


3446-000

Fiber Handle with Quick coupling, Cannulated



3430-04 Cannulated Countersink with Quick Coupling for Ø3.5mm Screw



1485-1.2 Stylet, Ø1.2mm



3426-01 Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 5mm x Length 150mm




3438-19 Direct Measuring Device for Ø3.5mm Screw




3415-000 Screw Holding Forcep



3425-000 Holding Clip for Washer



7-121-01 Instrument Tray for 3.5mm Cannulated Cortical Screw Instrument Set



A10-045 Container for 3.5mm Cannulated Cortical Instruments Set



2336-000 3.5mm Cannulated Cortical Screw Instrument Set


Item Code	Item Name	Unit
2103-2.7-160	Cannulated Drill Bit Plain Shank/Jacob Chuck, Ø2.7mm x Length 160mm	2
3435-01	Stopper for Drill Bit Ø2.7mm	1
3435-02	Cannulated Drill Bit with Quick Coupling, Ø3.5mm x Length 160mm	2
3767-2.7	Double Drill Guide, Ø2.7/2.0mm	1
3767-3.5	Double Drill Guide, Ø2.5/3.5mm	1
3434-000	Double Drill Guide, Ø3.5/2.7mm	1
3433-01	Cannulated Screwdriver, Hex 2.5mm	1
3446-000	Fiber Handle with Quick coupling, Cannulated	1
3430-04	Cannulated Countersink with Quick Coupling for Ø3.5mm Screw	1
1485-1.2	Stylet, Ø1.2mm	1
3426-01	Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 5mm x Length 150mm	10
3438-19	Direct Measuring Device for Ø3.5mm Screw	1
3415-000	Screw Holding Forcep	1
3425-000	Holding Clip for Washer	1
7-121-01	Instrument Tray for 3.5mm Cannulated Cortical Screw Instrument Set	1
A10-045	Container for 3.5mm Cannulated Cortical Instruments Set	1

4.0mm Cannulated Screws

4.0mm Cannulated Cancellous Screw, Short Thread, Self-Tapping



Length (mm)	Stainless Steel	Titanium
* 10	124.210	TI-124.210
* 12	124.212	TI-124.212
* 14	124.214	TI-124.214
16	124.216	TI-124.216
18	124.218	TI-124.218
20	124.220	TI-124.220
22	124.222	TI-124.222
24	124.224	TI-124.224
26	124.226	TI-124.226
28	124.228	TI-124.228
30	124.230	TI-124.230
32	124.232	TI-124.232
34	124.234	TI-124.234
36	124.236	TI-124.236
38	124.238	TI-124.238
40	124.240	TI-124.240
42	124.242	TI-124.242
44	124.244	TI-124.244
46	124.246	TI-124.246
48	124.248	TI-124.248
50	124.250	TI-124.250
55	124.255	TI-124.255
60	124.260	TI-124.260
* 65	124.265	TI-124.265
* 70	124.270	TI-124.270

* Sizes not available in Screw Caddy

4.0mm Cannulated Cancellous Screw, Full Thread, Self-Tapping



Length (mm)	Stainless Steel	Titanium
* 10	125.210	TI-125.210
* 12	125.212	TI-125.212
* 14	125.214	TI-125.214
16	125.216	TI-125.216
18	125.218	TI-125.218
20	125.220	TI-125.220
22	125.222	TI-125.222
24	125.224	TI-125.224
26	125.226	TI-125.226
28	125.228	TI-125.228
30	125.230	TI-125.230
32	125.232	TI-125.232
34	125.234	TI-125.234
36	125.236	TI-125.236
38	125.238	TI-125.238
40	125.240	TI-125.240
42	125.242	TI-125.242
44	125.244	TI-125.244
46	125.246	TI-125.246
48	125.248	TI-125.248
50	125.250	TI-125.250
55	125.255	TI-125.255
60	125.260	TI-125.260
* 65	125.265	TI-125.265
* 70	125.270	TI-125.270


* Sizes not available in Screw Caddy

Washer For Small Fragment Screw

	Stainless Steel	Titanium
Code	100.110	TI-100.110



ST-005-4.0 Screw Caddy For 4.0mm Cannulated Cancellous Screw *(Tray Without Screw)*



4.0mm Cannulated Cancellous Screw, Short Thread, Self-Tapping

Stainless Steel	Titanium	Length	Unit
124.216	TI-124.216	16	3
124.218	TI-124.218	18	3
124.220	TI-124.220	20	3
124.222	TI-124.222	22	3
124.224	TI-124.224	24	3
124.226	TI-124.226	26	3
124.228	TI-124.228	28	3
124.230	TI-124.230	30	3
124.232	TI-124.232	32	3
124.234	TI-124.234	34	3
124.236	TI-124.236	36	3
124.238	TI-124.238	38	3
124.240	TI-124.240	40	3
124.242	TI-124.242	42	3
124.244	TI-124.244	44	3
124.246	TI-124.246	46	3
124.248	TI-124.248	48	3
124.250	TI-124.250	50	3
124.255	TI-124.255	55	3
124.260	TI-124.260	60	3

4.0mm Cannulated Cancellous Screw, Full Thread, Self-Tapping

Stainless Steel	Titanium	Length	Unit
125.216	TI-125.216	16	3
125.218	TI-125.218	18	3
125.220	TI-125.220	20	3
125.222	TI-125.222	22	3
125.224	TI-125.224	24	3
125.226	TI-125.226	26	3
125.228	TI-125.228	28	3
125.230	TI-125.230	30	3
125.232	TI-125.232	32	3
125.234	TI-125.234	34	3
125.236	TI-125.236	36	3
125.238	TI-125.238	38	3
125.240	TI-125.240	40	3
125.242	TI-125.242	42	3
125.244	TI-125.244	44	3
125.246	TI-125.246	46	3
125.248	TI-125.248	48	3
125.250	TI-125.250	50	3
125.255	TI-125.255	55	3
125.260	TI-125.260	60	3

451-1.2-180E Guide Wire, Ø1.2mm x Length 180mm



3426-01 Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 5mm x Length 150mm



3767-1.20 Double Drill Guide, Ø2.7/1.2mm



1484-4.0 Cannulated Countersink with T-Handle for Ø4.0mm Screw



1486-2.7 Protection Sleeve for Drill Bit Ø2.8mm



7-056-02 Wire Sleeve for Guide Wire Ø2.7/1.2mm



7-056-01 Screw Holding Forcep for Ø4.0mm Screw



2103-2.7-160 Cannulated Drill Bit Plain Shank/Jacob Chuck, Ø2.7mm x Length 160mm



3435-01 Stopper for Drill Bit Ø2.7mm



3433-01 Cannulated Screwdriver, Hex 2.5mm



1489-01 Holding Sleeve for Cannulated Screwdriver, Hex 2.5mm



1487-2.5 Allen Key, Hex 2.5mm, for Ø4.0mm Screw



2103-11 Cannulated T-Handle Tap for Ø4.0mm Screw



3431-01 Direct Measuring Device for Ø4.0mm Screw




1488-01 Extraction Screw with T- Handle for Ø4.0mm Screw




1485-1.2 Stylet, Ø1.2mm




ST-005-4.0 Screw Caddy for 4.0mm Cannulated Cancellous Screw



A10-009 Container with Lid for 4.0mm Cannulated Cancellous Screw Instrument set



2337-000 4.0mm Cannulated Cancellous Screw Instrument Set


Item Code	Item Name	Unit
451-1.2-180E	Guide Wire, Ø1.2mm x Length 180mm	3
3426-01	Guide Wire with Threaded Trocar Tip, Ø1.2mm x Thread Length 5mm x Length 150mm	3
3767-1.20	Double Drill Guide, Ø2.7/1.2mm	1
1484-4.0	Cannulated Countersink with T-Handle for Ø4.0mm Screw	1
1486-2.7	Protection Sleeve for Drill Bit Ø2.8mm	1
7-056-02	Wire Sleeve for Guide Wire Ø2.7/1.2mm	1
7-056-01	Screw Holding Forcep for Ø4.0mm Screw	1
2103-2.7-160	Cannulated Drill Bit Plain Shank/Jacob Chuck, Ø2.7mm x Length 160mm	2
3435-01	Stopper for Drill Bit Ø2.7mm	1
3433-01	Cannulated Screwdriver, Hex 2.5mm	2
1489-01	Holding Sleeve for Cannulated Screwdriver, Hex 2.5mm	1
1487-2.5	Allen Key, Hex 2.5mm, for Ø4.0mm Screw	1
2103-11	Cannulated T-Handle Tap for Ø4.0mm Screw	1
3431-01	Direct Measuring Device for Ø4.0mm Screw	1
1488-01	Extraction Screw with T- Handle for Ø4.0mm Screw	1
1485-1.2	Stylet, Ø1.2mm	1
ST-005-4.0	Screw Caddy for 4.0mm Cannulated Cancellous Screw	1
A10-009	Container with Lid for 4.0mm Cannulated Cancellous Screw Instrument set	1

4.5mm Cannulated Screws

4.5mm Cannulated Cortical Screw, Short Thread



4.5mm Cannulated Cortical Screw, Full Thread



Length (mm)	Stainless Steel	Titanium
20	122.020	TI-122.020
22	122.022	TI-122.022
24	122.024	TI-122.024
26	122.026	TI-122.026
28	122.028	TI-122.028
30	122.030	TI-122.030
32	122.032	TI-122.032
34	122.034	TI-122.034
36	122.036	TI-122.036
38	122.038	TI-122.038
40	122.040	TI-122.040
42	122.042	TI-122.042
44	122.044	TI-122.044
46	122.046	TI-122.046
48	122.048	TI-122.048
50	122.050	TI-122.050
52	122.052	TI-122.052
54	122.054	TI-122.054
56	122.056	TI-122.056
58	122.058	TI-122.058
60	122.060	TI-122.060
62	122.062	TI-122.062
64	122.064	TI-122.064
66	122.066	TI-122.066
68	122.068	TI-122.068
70	122.070	TI-122.070
72	122.072	TI-122.072
74	122.074	TI-122.074
76	122.076	TI-122.076
78	122.078	TI-122.078
80	122.080	TI-122.080

Length (mm)	Stainless Steel	Titanium
20	122.220	TI-122.220
22	122.222	TI-122.222
24	122.224	TI-122.224
26	122.226	TI-122.226
28	122.228	TI-122.228
30	122.230	TI-122.230
32	122.232	TI-122.232
34	122.234	TI-122.234
36	122.236	TI-122.236
38	122.238	TI-122.238
40	122.240	TI-122.240
42	122.242	TI-122.242
44	122.244	TI-122.244
46	122.246	TI-122.246
48	122.248	TI-122.248
50	122.250	TI-122.250
52	122.252	TI-122.252
54	122.254	TI-122.254
56	122.256	TI-122.256
58	122.258	TI-122.258
60	122.260	TI-122.260
62	122.262	TI-122.262
64	122.264	TI-122.264
66	122.266	TI-122.266
68	122.268	TI-122.268
70	122.270	TI-122.270
72	122.272	TI-122.272
74	122.274	TI-122.274
76	122.276	TI-122.276
78	122.278	TI-122.278
80	122.280	TI-122.280

4.5mm Cannulated Cortical Screw, Short Thread, Self-Tapping



Length (mm)	Stainless Steel	Titanium
20	122.120	TI-122.120
22	122.122	TI-122.122
24	122.124	TI-122.124
26	122.126	TI-122.126
28	122.128	TI-122.128
30	122.130	TI-122.130
32	122.132	TI-122.132
34	122.134	TI-122.134
36	122.136	TI-122.136
38	122.138	TI-122.138
40	122.140	TI-122.140
42	122.142	TI-122.142
44	122.144	TI-122.144
46	122.146	TI-122.146
48	122.148	TI-122.148
50	122.150	TI-122.150
52	122.152	TI-122.152
54	122.154	TI-122.154
56	122.156	TI-122.156
58	122.158	TI-122.158
60	122.160	TI-122.160
62	122.162	TI-122.162
64	122.164	TI-122.164
66	122.166	TI-122.166
68	122.168	TI-122.168
70	122.170	TI-122.170
72	122.172	TI-122.172
74	122.174	TI-122.174
76	122.176	TI-122.176
78	122.178	TI-122.178
80	122.180	TI-122.180

4.5mm Cannulated Cortical Screw, Full Thread, Self-Tapping



Length (mm)	Stainless Steel	Titanium
20	122.320	TI-122.320
22	122.322	TI-122.322
24	122.324	TI-122.324
26	122.326	TI-122.326
28	122.328	TI-122.328
30	122.330	TI-122.330
32	122.332	TI-122.332
34	122.334	TI-122.334
36	122.336	TI-122.336
38	122.338	TI-122.338
40	122.340	TI-122.340
42	122.342	TI-122.342
44	122.344	TI-122.344
46	122.346	TI-122.346
48	122.348	TI-122.348
50	122.350	TI-122.350
52	122.352	TI-122.352
54	122.354	TI-122.354
56	122.356	TI-122.356
58	122.358	TI-122.358
60	122.360	TI-122.360
62	122.362	TI-122.362
64	122.364	TI-122.364
66	122.366	TI-122.366
68	122.368	TI-122.368
70	122.370	TI-122.370
72	122.372	TI-122.372
74	122.374	TI-122.374
76	122.376	TI-122.376
78	122.378	TI-122.378
80	122.380	TI-122.380

Washer For Large Fragment Screw

	Stainless Steel	Titanium
Code	100.120	TI-100.120



3435-04 Cannulated Drill Bit with Quick Coupling, Ø4.5mm x Length 170mm



3435-03 Cannulated Drill Bit with Quick Coupling, Ø3.2mm x Length 170mm



2100-1.5-160 Drill Bit Quick Coupling End, Ø1.5mm x Length 160mm



3767-4.5 Double Drill Guide, Ø4.5/3.2mm



3767-3.2 Double Drill Guide, Ø3.2/1.6mm



3432-01 Bone Tap with Quick Coupling for Ø4.5mm Cannulated Screw, Quick Coupling



3433-02 Cannulated Screwdriver, Hex 3.5mm



3446-000 Fiber Handle with Quick Coupling, Cannulated



3430-02 Cannulated Countersink with Quick Coupling for Ø4.5mm Screw



3427-02 Stylet, Ø1.6mm




3426-02 Guide Wire with Threaded Trocar Tip Ø1.6mm x Thread Length 14mm x Length 240mm



3431-02 Direct Measuring Device for Ø4.5mm Screw




3425-000 Holding Clip For Washer



3415-000 Screw Holding Forcep



7-122-01 Instrument Tray for 4.5mm Cannulated Cortical Screw Instruments Set



A10-010 Container for 4.5mm Cannulated Cortical Screw Instruments Set



2338-000 4.5mm Cannulated Cortical Screw Instrument Set


Item Code	Item Name	Unit
3435-04	Cannulated Drill Bit with Quick Coupling, Ø4.5mm x Length 170mm	1
3435-03	Cannulated Drill Bit with Quick Coupling, Ø3.2mm x Length 170mm	2
2100-1.5-160	Drill Bit Quick Coupling End, Ø1.5mm x Length 160mm	1
3767-4.5	Double Drill Guide, Ø4.5/3.2mm	1
3767-3.2	Double Drill Guide, Ø3.2/1.6mm	1
3432-01	Bone Tap with Quick Coupling for Ø4.5mm Cannulated Screw, Quick Coupling	1
3433-02	Cannulated Screwdriver, Hex 3.5mm	1
3446-000	Fiber Handle with Quick Coupling, Cannulated	1
3430-02	Cannulated Countersink with Quick Coupling for Ø4.5mm Screw	1
3427-02	Stylet, Ø1.6mm	1
3426-02	Guide Wire with Threaded Trocar Tip Ø1.6mm x Thread Length 14mm x Length 240mm	10
3431-02	Direct Measuring Device for Ø4.5mm Screw	1
3425-000	Holding Clip For Washer	1
3415-000	Screw Holding Forcep	1
7-122-01	Instrument Tray for 4.5mm Cannulated Cortical Screw Instruments Set	1
A10-010	Container for 4.5mm Cannulated Cortical Screw Instruments Set	1

6.5mm Cannulated Screws

6.5mm Cannulated Screw, 16mm Thread, Self-Drilling



Length (mm)	Stainless Steel	Titanium
30	132.030	TI-132.030
35	132.035	TI-132.035
40	132.040	TI-132.040
45	132.045	TI-132.045
50	132.050	TI-132.050
55	132.055	TI-132.055
60	132.060	TI-132.060
65	132.065	TI-132.065
70	132.070	TI-132.070
75	132.075	TI-132.075
80	132.080	TI-132.080
85	132.085	TI-132.085
90	132.090	TI-132.090
95	132.095	TI-132.095
100	132.100	TI-132.100
105	132.105	TI-132.105
110	132.110	TI-132.110
115	132.115	TI-132.115
120	132.120	TI-132.120
125	132.125	TI-132.125
130	132.130	TI-132.130
135	132.135	TI-132.135
140	132.140	TI-132.140
145	132.145	TI-132.145
150	132.150	TI-132.150

6.5mm Cannulated Screw, 32mm Thread, Self-Drilling



Length (mm)	Stainless Steel	Titanium
45	132.245	TI-132.245
50	132.250	TI-132.250
55	132.255	TI-132.255
60	132.260	TI-132.260
65	132.265	TI-132.265
70	132.270	TI-132.270
75	132.275	TI-132.275
80	132.280	TI-132.280
85	132.285	TI-132.285
90	132.290	TI-132.290
95	132.295	TI-132.295
100	132.300	TI-132.300
105	132.305	TI-132.305
110	132.310	TI-132.310
115	132.315	TI-132.315
120	132.320	TI-132.320
125	132.325	TI-132.325
130	132.330	TI-132.330
135	132.335	TI-132.335
140	132.340	TI-132.340
145	132.345	TI-132.345
150	132.350	TI-132.350

6.5mm Cannulated Screw, Full Thread, Self-Drilling

Length (mm)	Stainless Steel	Titanium
20	133.020	TI-133.020
25	133.025	TI-133.025
30	133.030	TI-133.030
35	133.035	TI-133.035
40	133.040	TI-133.040
45	133.045	TI-133.045
50	133.050	TI-133.050
55	133.055	TI-133.055
60	133.060	TI-133.060
65	133.065	TI-133.065
70	133.070	TI-133.070
75	133.075	TI-133.075
80	133.080	TI-133.080
85	133.085	TI-133.085
90	133.090	TI-133.090
95	133.095	TI-133.095
100	133.100	TI-133.100
105	133.105	TI-133.105
110	133.110	TI-133.110
115	133.115	TI-133.115
120	133.120	TI-133.120
125	133.125	TI-133.125
130	133.130	TI-133.130



Washer For Large Fragment Screw

	Stainless Steel	Titanium
Code	100.120	TI-100.120



7.0mm Cannulated Screws

7.0mm Cannulated Cancellous Screw, 16mm Thread, Self-Drilling

Length (mm)	Stainless Steel	Titanium
30	129.230	TI-129.230
35	129.235	TI-129.235
40	129.240	TI-129.240
45	129.245	TI-129.245
50	129.250	TI-129.250
55	129.255	TI-129.255
60	129.260	TI-129.260
65	129.265	TI-129.265
70	129.270	TI-129.270
75	129.275	TI-129.275
80	129.280	TI-129.280
85	129.285	TI-129.285
90	129.290	TI-129.290
95	129.295	TI-129.295
100	129.300	TI-129.300
105	129.305	TI-129.305
110	129.310	TI-129.310
* 115	129.315	TI-129.315
* 120	129.320	TI-129.320

* Sizes not available in Screw Caddy


7.0mm Cannulated Cancellous Screw, 32mm Thread, Self-Drilling

Length (mm)	Stainless Steel	Titanium
35	130.235	TI-130.235
40	130.240	TI-130.240
45	130.245	TI-130.245
50	130.250	TI-130.250
55	130.255	TI-130.255
60	130.260	TI-130.260
65	130.265	TI-130.265
70	130.270	TI-130.270
75	130.275	TI-130.275
80	130.280	TI-130.280
85	130.285	TI-130.285
90	130.290	TI-130.290
95	130.295	TI-130.295
100	130.300	TI-130.300
105	130.305	TI-130.305
110	130.310	TI-130.310
* 115	130.315	TI-130.315
* 120	130.320	TI-130.320

* Sizes not available in Screw Caddy



7.0mm Cannulated Cancellous Screw, Full Thread, Self-Drilling

Length (mm)	Stainless Steel	Titanium
30	131.230	TI-131.230
35	131.235	TI-131.235
40	131.240	TI-131.240
45	131.245	TI-131.245
50	131.250	TI-131.250
55	131.255	TI-131.255
60	131.260	TI-131.260
65	131.265	TI-131.265
70	131.270	TI-131.270
75	131.275	TI-131.275
80	131.280	TI-131.280
85	131.285	TI-131.285
90	131.290	TI-131.290
95	131.295	TI-131.295
100	131.300	TI-131.300
105	131.305	TI-131.305
110	131.310	TI-131.310
* 115	131.315	TI-131.315
* 120	131.320	TI-131.320


* Sizes not available in Screw Caddy


Washer For Large Fragment Screw

	Stainless Steel	Titanium
Code	100.120	TI-100.120



ST-005-7.0 Screw Caddy For 7.0mm Cannulated Cancellous Screw
(Tray Without Screw)



**7.0mm Cannulated Cancellous Screw,
16mm Thread, Self-Drilling**

Stainless Steel	Titanium	Length	Unit
129.230	TI-129.230	30mm	2
129.235	TI-129.235	35mm	2
129.240	TI-129.240	40mm	2
129.245	TI-129.245	45mm	2
129.250	TI-129.250	50mm	2
129.255	TI-129.255	55mm	2
129.260	TI-129.260	60mm	2
129.265	TI-129.265	65mm	2
129.270	TI-129.270	70mm	2
129.275	TI-129.275	75mm	4
129.280	TI-129.280	80mm	4
129.285	TI-129.285	85mm	4
129.290	TI-129.290	90mm	4
129.295	TI-129.295	95mm	2
129.300	TI-129.300	100mm	2
129.305	TI-129.305	105mm	2
129.310	TI-129.310	110mm	2
129.315	TI-129.315	115mm	2

**7.0mm Cannulated Cancellous Screw,
Full Thread, Self-Drilling**

Stainless Steel	Titanium	Length	Unit
131.230	TI-131.250	30mm	2
131.235	TI-131.255	35mm	2
131.240	TI-131.260	40mm	2
131.245	TI-131.265	45mm	2
131.250	TI-131.250	50mm	2
131.255	TI-131.255	55mm	2
131.260	TI-131.260	60mm	2
131.265	TI-131.265	65mm	2
131.270	TI-131.270	70mm	2
131.275	TI-131.275	75mm	4
131.280	TI-131.280	80mm	4
131.285	TI-131.285	85mm	4
131.290	TI-131.290	90mm	4
131.295	TI-131.295	95mm	2
131.300	TI-131.300	100mm	2
131.305	TI-131.305	105mm	2
131.310	TI-131.310	110mm	2
131.315	TI-131.315	115mm	2

**7.0mm Cannulated Cancellous Screw,
32mm Thread, Self-Drilling**

Stainless Steel	Titanium	Length	Unit
130.235	TI-130.235	35mm	2
130.240	TI-130.240	40mm	2
130.245	TI-130.245	45mm	2
130.250	TI-130.250	50mm	2
130.255	TI-130.255	55mm	2
130.260	TI-130.260	60mm	2
130.265	TI-130.265	65mm	2
130.270	TI-130.270	70mm	2
130.275	TI-130.275	75mm	4
130.280	TI-130.280	80mm	4
130.285	TI-130.285	85mm	4
130.290	TI-130.290	90mm	4
130.295	TI-130.295	95mm	2
130.300	TI-130.300	100mm	2
130.305	TI-130.305	105mm	2
130.310	TI-130.310	110mm	2
130.315	TI-130.315	115mm	2

451-2.0-250E Guide Wire, Ø2.0mm x Length 250mm



GW-2.0-250 Guide Wire with Threaded Tip, Ø2.0mm x Thread Length 8mm x Length 250mm



3433-02 Cannulated Screwdriver, Hex 3.5mm



1490-01 Holding Sleeve for Cannulated Screwdriver, Hex 3.5mm



1482-01 Wire Sleeve Bolt Key



1481-01 Wire Sleeve for Guide Wire, Ø2.0mm



1480-4.5-2.0 Double Drill Guide, Ø4.5/2.0mm



3436-013 Parallel Guide for Guide Wire, Ø2.0mm



3436-014 Direct Measuring Device for Cannulated Cancellous Screw



7-057-01 Screw Holding Forcep for Ø7.0mm Screw



2191-4.5-250 Cannulated Drill Bit Plain Shank/Jacob Chuck End, Ø4.5mm x Length 250mm



3435-000 Stopper for Drill Bit Ø4.5mm



7-057-02 Allen Key, Hex 3.0mm, for Ø7.0mm Screw



1491-01 Trocar Ø2.0mm, for Ø7.0mm Screw



1492-01 Guide Sleeve Ø4.5/2.0mm



1493-01 Drill Sleeve Ø8.0/4.5mm



1483-01 Cannulated Countersink with T-Handle for Ø7.0mm Screw



3443.38-5.0 Extraction Screw, Ø5.0mm



3436-012 Protection Sleeve for Drill Bit Ø4.5mm




3436-011 Cannulated Tap with T-Handle for Ø7.0mm Screw



3436-016 Stylet Ø2.0mm




ST-005-7.0 Screw Caddy for 7.0mm Cannulated Cancellous Screw



7-057-03 Instrument Tray for 7.0mm
Cannulated Cancellous Screw Instrument Set



A10-012 Container For 7.0mm
Cannulated Cancellous Screw Instrument Set



IS006 7.0mm Cannulated Cancellous Screw Instrument Set



IS006 7.0mm Cannulated Cancellous Screw Instrument Set

Item Code	Item Name	Unit
451-2.0-250E	Guide Wire, Ø2.0mm x Length 250mm	3
GW-2.0-250	Guide Wire with Threaded Tip, Ø2.0mm x Thread Length 8mm x Length 250mm	3
3433-02	Cannulated Screwdriver, Hex 3.5mm	2
1490-01	Holding Sleeve for Cannulated Screwdriver, Hex 3.5mm	1
1482-01	Wire Sleeve Bolt Key	1
1481-01	Wire Sleeve for Guide Wire, Ø2.0mm	1
1480-4.5-2.0	Double Drill Guide, Ø4.5/2.0mm	1
3436-013	Parallel Guide for Guide Wire, Ø2.0mm	1
3436-014	Direct Measuring Device for Cannulated Cancellous Screw	1
7-057-01	Screw Holding Forcep for Ø7.0mm Screw	1
2191-4.5-250	Cannulated Drill Bit Plain Shank/Jacob Chuck End, Ø4.5mm x Length 250mm	1
3435-000	Stopper for Drill Bit Ø4.5mm	1
7-057-02	Allen Key, Hex 3.0mm, for Ø7.0mm Screw	1
1491-01	Trocar Ø2.0mm, for Ø7.0mm Screw	1
1492-01	Guide Sleeve Ø4.5/2.0mm	1
1493-01	Drill Sleeve Ø8.0/4.5mm	1
1483-01	Cannulated Countersink with T-Handle for Ø7.0mm Screw	1
3443-38-5.0	Extraction Screw, Ø5.0mm	1
3436-012	Protection Sleeve for Drill Bit Ø4.5mm	1
3436-011	Cannulated Tap with T-Handle for Ø7.0mm Screw	1
3436-016	Stylet Ø2.0mm	1
ST-005-7.0	Screw Caddy for 7.0mm Cannulated Cancellous Screw	1
7-057-03	Instrument Tray for 7.0mm Cannulated Cancellous Screw Instrument Set	2
A10-012	Container For 7.0mm Cannulated Cancellous Screw Instrument Set	1

7.3mm Cannulated Screws

7.3mm Cannulated Cancellous Screw, 16mm Thread, Self-Drilling

Length (mm)	Stainless Steel	Titanium
30	134.030	TI-134.030
35	134.035	TI-134.035
40	134.040	TI-134.040
45	134.045	TI-134.045
50	134.050	TI-134.050
55	134.055	TI-134.055
60	134.060	TI-134.060
65	134.065	TI-134.065
70	134.070	TI-134.070
75	134.075	TI-134.075
80	134.080	TI-134.080
85	134.085	TI-134.085
90	134.090	TI-134.090
95	134.095	TI-134.095
100	134.100	TI-134.100
105	134.105	TI-134.105
110	134.110	TI-134.110
* 115	134.115	TI-134.115
* 120	134.120	TI-134.120
* 125	134.125	TI-134.125
* 130	134.130	TI-134.130
* 135	134.135	TI-134.135
* 140	134.140	TI-134.140
* 145	134.145	TI-134.145
* 150	134.150	TI-134.150



* Sizes not available in Screw Caddy

7.3mm Cannulated Cancellous Screw, 32mm Thread, Self-Drilling

Length (mm)	Stainless Steel	Titanium
35	134.235	TI-134.235
40	134.240	TI-134.240
45	134.245	TI-134.245
50	134.250	TI-134.250
55	134.255	TI-134.255
60	134.260	TI-134.260
65	134.265	TI-134.265
70	134.270	TI-134.270
75	134.275	TI-134.275
80	134.280	TI-134.280
85	134.285	TI-134.285
90	134.290	TI-134.290
95	134.295	TI-134.295
100	134.300	TI-134.300
105	134.305	TI-134.305
110	134.310	TI-134.310
* 115	134.315	TI-134.315
* 120	134.320	TI-134.320
* 125	134.325	TI-134.325
* 130	134.330	TI-134.330
* 135	134.335	TI-134.335
* 140	134.340	TI-134.340
* 145	134.345	TI-134.345
* 150	134.350	TI-134.350



* Sizes not available in Screw Caddy

7.3mm Cannulated Cancellous Screw, Full Thread, Self-Drilling

Length (mm)	Stainless Steel	Titanium
20	148.020	TI-148.020
25	148.025	TI-148.025
30	148.030	TI-148.030
35	148.035	TI-148.035
40	148.040	TI-148.040
45	148.045	TI-148.045
50	148.050	TI-148.050
55	148.055	TI-148.055
60	148.060	TI-148.060
65	148.065	TI-148.065
70	148.070	TI-148.070
75	148.075	TI-148.075
80	148.080	TI-148.080
85	148.085	TI-148.085
90	148.090	TI-148.090
95	148.095	TI-148.095
100	148.100	TI-148.100
105	148.105	TI-148.105
110	148.110	TI-148.110
* 115	148.115	TI-148.115
* 120	148.120	TI-148.120
* 125	148.125	TI-148.125
* 130	148.130	TI-148.130

* Sizes not available in Screw Caddy


Washer For Large Fragment Screw

	Stainless Steel	Titanium
Code	100.120	TI-100.120



ST-005-7.3 Screw Caddy for 7.3mm Cannulated Cancellous Screw System
(Tray Without Screw)



**7.3mm Cannulated Cancellous Screw,
16mm Thread, Self-Drilling**

Stainless Steel	Titanium	Length	Unit
134.030	TI-134.030	30mm	2
134.035	TI-134.035	35mm	2
134.040	TI-134.040	40mm	2
134.045	TI-134.045	45mm	2
134.050	TI-134.050	50mm	2
134.055	TI-134.055	55mm	2
134.060	TI-134.060	60mm	2
134.065	TI-134.065	65mm	2
134.070	TI-134.070	70mm	2
134.075	TI-134.075	75mm	4
134.080	TI-134.080	80mm	4
134.085	TI-134.085	85mm	4
134.090	TI-134.090	90mm	4
134.095	TI-134.095	95mm	2
134.100	TI-134.100	100mm	2
134.105	TI-134.105	105mm	2
134.110	TI-134.110	110mm	2

**7.3mm Cannulated Cancellous Screw,
Full Thread, Self-Drilling**

Stainless Steel	Titanium	Length	Unit
148.030	TI-148.030	30mm	2
148.035	TI-148.035	35mm	2
148.040	TI-148.040	40mm	2
148.045	TI-148.045	45mm	2
148.050	TI-148.050	50mm	2
148.055	TI-148.055	55mm	2
148.060	TI-148.060	60mm	2
148.065	TI-148.065	65mm	2
148.070	TI-148.070	70mm	2
148.075	TI-148.075	75mm	4
148.080	TI-148.080	80mm	4
148.085	TI-148.085	85mm	4
148.090	TI-148.090	90mm	4
148.095	TI-148.095	95mm	2
148.100	TI-148.100	100mm	2
148.105	TI-148.105	105mm	2
148.110	TI-148.110	110mm	2


**7.3mm Cannulated Cancellous Screw,
32mm Thread, Self-Drilling**

Stainless Steel	Titanium	Length	Unit
134.235	TI-134.235	35mm	2
134.240	TI-134.240	40mm	2
134.245	TI-134.245	45mm	2
134.250	TI-134.250	50mm	2
134.255	TI-134.255	55mm	2
134.260	TI-134.260	60mm	2
134.265	TI-134.265	65mm	2
134.270	TI-134.270	70mm	2
134.275	TI-134.275	75mm	4
134.280	TI-134.280	80mm	4
134.285	TI-134.285	85mm	4
134.290	TI-134.290	90mm	4
134.295	TI-134.295	95mm	2
134.300	TI-134.300	100mm	2
134.305	TI-134.305	105mm	2
134.310	TI-134.310	110mm	2


GW-2.8-250T Guide Wire with Threaded Tip, Ø2.8mm x Thread Length 10mm x Length 250mm



GW-2.8-250 Guide Wire, Ø2.8mm x Length 250mm



1532-01 Drill Bit Cannulated Plain Shank/Jacob Chuck End, Ø5.0mm x Length 250mm



1532-05 Stopper for Drill Bit Ø5.0mm



1539-01 Allen Key, Hex 3mm, for Ø7.3mm Screw



3436-014 Direct Measuring Device for Cannulated Cancellous Screw



1538-01 Cannulated Countersink with T-Handle for 7.3mm Cannulated Cancellous Screw



1543-01 Wire Sleeve \varnothing 10.0/2.9mm



1542-01 Drill Guide for Drill Bit \varnothing 5.0mm



1541-01 Guide Sleeve \varnothing 5.0/2.9mm



1537-01 Protection Sleeve for \varnothing 10.0/2.9mm



1482-01 Wire Sleeve Bolt Key



1544-01 Wire Sleeve, Adjustable



1534-01 Cannulated Tap with T-Handle, for Ø7.3mm Screw



1533-01 Parallel Guide for Guide Wire Ø2.8mm



7-058-01 Screw Holding Forcep for Ø7.3mm Screw



1478-2.5-25 Stylet, Ø2.5mm



3433-03 Hexagonal Screwdriver, Cannulation Ø2.9mm, Hex 4.0mm



1540-01 Hexagonal Screwdriver, Hex 4.0mm for Ø7.3mm Screw



1540-05 Holding Sleeve for Cannulated Hexagonal Screwdriver, Hex 4.0mm




1545-01 Extraction Screw with T-Handle, for Ø7.3mm Screw



ST-005-7.3 Screw Caddy for 7.3mm Cannulated Cancellous Screw



IS006-7.3T Instrument Tray for 7.3mm Cannulated Screw Instrument Set



IS006-7.3B Container For 7.3mm Cannulated Cancellous Screw Instrument Set



IS006-7.3 7.3mm Cannulated Cancellous Screw Instrument Set



IS006-7.3 7.3mm Cannulated Cancellous Screw Instrument Set

Item Code	Item Name	Unit
GW-2.8-250T	Guide Wire with Threaded Tip, Ø2.8mm x Thread Length 10mm x Length 250mm	3
GW-2.8-250	Guide Wire, Ø2.8mm x Length 250mm	3
1532-01	Drill Bit Cannulated Plain Shank/Jacob Chuck End, Ø5.0mm x Length 250mm	2
1532-05	Stopper for Drill Bit Ø5.0mm	1
1539-01	Allen Key, Hex 3mm, for Ø7.3mm Screw	1
3436-014	Direct Measuring Device for Cannulated Cancellous Screw	1
1538-01	Cannulated Countersink with T-Handle for Ø7.3mm Screw	1
1543-01	Wire Sleeve Ø10.0/2.9mm	1
1542-01	Drill Guide for Drill Bit Ø5.0mm	1
1541-01	Guide Sleeve Ø5.0/2.9mm	1
1537-01	Protection Sleeve for Ø10.0/2.9mm	1
1482-01	Wire Sleeve Bolt Key	1
1544-01	Wire Sleeve, Adjustable	1
1534-01	Cannulated Tap with T-Handle, for Ø7.3mm Screw	1
1533-01	Parallel Guide for Guide Wire Ø2.8mm	1
7-058-01	Screw Holding Forcep for Ø7.3mm Screw	1
1478-2.5	Stylet, Ø2.5mm	1
3433-03	Hexagonal Screwdriver, Cannulation Ø2.9mm, Hex 4.0mm	1
1540-01	Hexagonal Screwdriver, Hex 4.0mm for Ø7.3mm Screw	1
1540-05	Holding Sleeve for Cannulated Hexagonal Screwdriver, Hex 4.0mm	1
1545-01	Extraction Screw with T-Handle, for Ø7.3mm Screw	1
ST-005-7.3	Screw Caddy for 7.3mm Cannulated Cancellous Screw	1
IS006-7.3T	Instrument Tray for 7.3mm Cannulated Screw Instrument Set	2
IS006-7.3B	Container For 7.3mm Cannulated Cancellous Screw Instrument Set	1



USA

Auxein Inc.
1500 Nw 89th Court, Suite 107-108
Doral, Florida 33172
Tel: +1 305 395 6062
E Fax: +1 305 395 6262
Email: USoffice@auxein.com

MEXICO

Auxein México, S.A. de C.V.
Tepic 139 int 801, Colonia Roma Sur,
Alcaldía Cuauhtémoc, CDMX,
México, C.P. 06760
Tel: +521 55 7261 0318
Email: info@auxein.mx

INDIA

Auxein Medical Pvt. Ltd.
Plot No. 168-169-170, Phase-4,
Kundli Industrial Area,
HSIIDC, Sector-57, Sonapat - 131028, Haryana
Tel: +91 99106 43638 | Fax: +91 86077 70197
Email: info@auxein.com