


TARSUS NAILING

TARSUS

Nailing System



edition
2022

 **Auxein**[®]

about us


Auxein Medical is an integrated, research based, orthopaedic Implants & Instruments manufacturing company, producing a wide range of quality, affordable generic implants, trusted by healthcare professionals and patients across geographies. It is the Company's constant endeavor to provide a wide basket of generic and innovator products that exceed the highest expectations of our customers in term of quality and safety. The company has world-class manufacturing unit established in India and serves customers in over 60 countries worldwide.

Our Achievements

- US FDA 510K APPROVED •**
(Arthroscopy, Spine, Nailing, Locking Plates & Screws)
- EC Certificate - Class IIa & IIb •
- ISO 13485:2016 •
- ISO 9001:2015 •
- India FDA Approved •
- India MDR 2017 •

Tarsus Nail

Ø Dia	Length (mm)	Titanium (Left)	Titanium (Right)
10mm	150mm	1-005-150LTI	1-005-150RTI
10mm	180mm	1-005-180LTI	1-005-180RTI
10mm	240mm	1-005-240LTI	1-005-240RTI
12mm	150mm	1-006-150LTI	1-006-150RTI
12mm	180mm	1-006-180LTI	1-006-180RTI
12mm	240mm	1-006-240LTI	1-006-240RTI
13mm	150mm	1-007-150LTI	1-007-150RTI
13mm	180mm	1-007-180LTI	1-007-180RTI
13mm	240mm	1-007-240LTI	1-007-240RTI



5.0mm Locking Bolt, (Star Head)

Ø Dia	Length (mm)	Titanium
5.0mm	26	1-008-026TI
5.0mm	28	1-008-028TI
5.0mm	30	1-008-030TI
5.0mm	32	1-008-032TI
5.0mm	34	1-008-034TI
5.0mm	36	1-008-036TI
5.0mm	38	1-008-038TI
5.0mm	40	1-008-040TI
5.0mm	42	1-008-042TI
5.0mm	44	1-008-044TI
5.0mm	46	1-008-046TI
5.0mm	48	1-008-048TI
5.0mm	50	1-008-050TI
5.0mm	52	1-008-052TI
5.0mm	54	1-008-054TI
5.0mm	56	1-008-056TI
5.0mm	58	1-008-058TI
5.0mm	60	1-008-060TI
5.0mm	62	1-008-062TI
5.0mm	64	1-008-064TI
5.0mm	66	1-008-066TI
5.0mm	68	1-008-068TI
5.0mm	70	1-008-070TI
5.0mm	72	1-008-072TI
5.0mm	74	1-008-074TI
5.0mm	76	1-008-076TI
5.0mm	78	1-008-078TI
5.0mm	80	1-008-080TI
5.0mm	85	1-008-085TI
5.0mm	90	1-008-090TI
5.0mm	95	1-008-095TI
5.0mm	100	1-008-100TI



6.0mm Locking Bolt, (Star Head)

Ø Dia	Length (mm)	Titanium
6.0mm	26	1-009-026TI
6.0mm	28	1-009-028TI
6.0mm	30	1-009-030TI
6.0mm	32	1-009-032TI
6.0mm	34	1-009-034TI
6.0mm	36	1-009-036TI
6.0mm	38	1-009-038TI
6.0mm	40	1-009-040TI
6.0mm	42	1-009-042TI
6.0mm	44	1-009-044TI
6.0mm	46	1-009-046TI
6.0mm	48	1-009-048TI
6.0mm	50	1-009-050TI
6.0mm	52	1-009-052TI
6.0mm	54	1-009-054TI
6.0mm	56	1-009-056TI
6.0mm	58	1-009-058TI
6.0mm	60	1-009-060TI
6.0mm	64	1-009-064TI
6.0mm	68	1-009-068TI
6.0mm	72	1-009-072TI
6.0mm	76	1-009-076TI
6.0mm	80	1-009-080TI
6.0mm	85	1-009-085TI
6.0mm	90	1-009-090TI
6.0mm	95	1-009-095TI
6.0mm	100	1-009-100TI
6.0mm	105	1-009-105TI
6.0mm	110	1-009-110TI
6.0mm	115	1-009-115TI
6.0mm	120	1-009-120TI
6.0mm	125	1-009-125TI



Spiral Blade

Length (mm)	Titanium
45	1-010-045TI
50	1-010-050TI
55	1-010-055TI
60	1-010-060TI
65	1-010-065TI
70	1-010-070TI
75	1-010-075TI
80	1-010-080TI
85	1-010-085TI
90	1-010-090TI
95	1-010-095TI
100	1-010-100TI


Tarsus Nail End Cap, for Securing Spiral Blade, Titanium

Titanium

1-011-01TI

Tarsus Nail End Cap, for Securing the most distal Locking Bolt, Titanium

Titanium

1-011-02TI


7-066-01 Radiographic Ruler for Tarsus Nail



7-066-02 18/8.0mm Protection Sleeve for Tarsus Nail



7-066-03 Threaded Alignment Pin for Tarsus Nail



7-066-04 Driving Cap for Tarsus Nail



7-066-05 Insertion Handle for Tarsus Nail



7-066-06 Ø5.0mm Three Fluted Drill Bit with Quick Couling End for Tarsus Nail



7-066-07

Aiming Arm for Tarsus Nail

**7-066-08**

Aiming Arm Adapter with Bolt for Tarsus Nail

**7-066-09**

Spiral Blade Inserter for Tarsus Nail

**7-066-10**

Holding Device for Guide Wire for Tarsus Nail

**7-066-11**

Sliding Hammer for Tarsus Nail

**7-066-12**

Ø4.2mm Three Fluted Drill Bit with Quick Couling End for Tarsus Nail



7-066-13 12/8.0mm Protection Sleeve for Tarsus Nail



7-066-14 8.0/3.2mm Drill Sleeve for Tarsus Nail



7-066-15 8.0/4.2mm Drill Sleeve for Tarsus Nail



7-066-16 8.0/5.0mm Drill Sleeve for Tarsus Nail



7-066-17 3.2mm Trocar for Tarsus Nail



7-066-18 4.2mm Trocar for Tarsus Nail



7-066-19

5.0mm Trocar for Tarsus Nail

**7-066-20**

Depth Gauge measuring upto 100mm for Tarsus Nail

**7-066-21**

15.0/13.0mm Protection Sleeve for Tarsus Nail

**7-066-22**

13.0/3.2mm Guide Wire Sleeve for Tarsus Nail

**7-066-23**

Measuring Device for Spiral Blade for Tarsus Nail

**7-066-24**

Universal Screwdriver, Hex 8mm for Tarsus Nail



7-066-25 Guide Wire Push Rod for Tarsus Nail



7-066-26 Self Retaining Screwdriver, Star Head T25 for Tarsus Nail



7-066-27 Self Retaining Screwdriver Shaft, Star Head T25 for Tarsus Nail



7-066-28 Screw Holding Sleeve with Locking Device for Tarsus Nail



7-066-29 3.2mm Threaded Guide Wire, Length 290mm for Tarsus Nail



7-066-30 Cannulated Nail Connecting Screw for Insertion Handle for Tarsus Nail



7-066-31 4.5mm Pin Wrench for Tarsus Nail



7-066-32 Ratchet Wrench, Hex 11mm for Tarsus Nail



7-066-33 13.0mm Cannulated Entry Reamer for Tarsus Nail



7-066-34 13.0mm Protection Sleeve for Tarsus Nail



7-066-35 13.0/3.2mm Trocar for Tarsus Nail



7-066-36 Hammer Guide for Tarsus Nail



7-066-37 Connecting Screw for Spiral Blade Inserter for Tarsus Nail




7-066-38 Extraction Screw for Tarsus Nail



7-066-39 Cannulated Shaft, Hex 8mm for Tarsus Nail






7-066-40 3.2mm Threaded Guide Wire, Length 400mm for Tarsus Nail



7-066-41 Container for Tarsus Nailing Instrument Set




7-066 Tarsus Nailing Instrument Set




7-066 Tarsus Nailing Instrument Set

Code	Set Consisting of	Qty.
7-066-01	Radiographic Ruler for Tarsus Nail	1
7-066-02	18/8.0mm Protection Sleeve for Tarsus Nail	1
7-066-03	Threaded Alignment Pin for Tarsus Nail	1
7-066-04	Driving Cap for Tarsus Nail	1
7-066-05	Insertion Handle for Tarsus Nail	1
7-066-06	Ø5.0mm Three Fluted Drill Bit with Quick Couling End for Tarsus Nail	1
7-066-07	Aiming Arm for Tarsus Nail	1
7-066-08	Aiming Arm Adapter with Bolt for Tarsus Nail	1
7-066-09	Spiral Blade Inserter for Tarsus Nail	1
7-066-10	Holding Device for Guide Wire for Tarsus Nail	1
7-066-11	Sliding Hammer for Tarsus Nail	1
7-066-12	Ø4.2mm Three Fluted Drill Bit with Quick Couling End for Tarsus Nail	1
7-066-13	12/8.0mm Protection Sleeve for Tarsus Nail	1
7-066-14	8.0/3.2mm Drill Sleeve for Tarsus Nail	1
7-066-15	8.0/4.2mm Drill Sleeve for Tarsus Nail	1
7-066-16	8.0/5.0mm Drill Sleeve for Tarsus Nail	1
7-066-17	3.2mm Trocar for Tarsus Nail	1
7-066-18	4.2mm Trocar for Tarsus Nail	1
7-066-19	5.0mm Trocar for Tarsus Nail	1
7-066-20	Depth Gauge measuring upto 100mm for Tarsus Nail	1
7-066-21	15.0/13.0mm Protection Sleeve for Tarsus Nail	1
7-066-22	13.0/3.2mm Guide Wire Sleeve for Tarsus Nail	1
7-066-23	Measuring Device for Spiral Blade for Tarsus Nail	1
7-066-24	Universal Screwdriver, Hex 8mm for Tarsus Nail	1
7-066-25	Guide Wire Push Rod for Tarsus Nail	1
7-066-26	Self Retaining Screwdriver, Star Head T25 for Tarsus Nail	1
7-066-27	Self Retaining Screwdriver Shaft, Star Head T25 for Tarsus Nail	1
7-066-28	Screw Holding Sleeve with Locking Device for Tarsus Nail	1
7-066-29	3.2mm Threaded Guide Wire, Length 290mm for Tarsus Nail	1
7-066-30	Cannulated Nail Connecting Screw for Insertion Handle for Tarsus Nail	1
7-066-31	4.5mm Pin Wrench for Tarsus Nail	1
7-066-32	Ratchet Wrench, Hex 11mm for Tarsus Nail	1
7-066-33	13.0mm Cannulated Entry Reamer for Tarsus Nail	1
7-066-34	13.0mm Protection Sleeve for Tarsus Nail	1
7-066-35	13.0/3.2mm Trocar for Tarsus Nail	1
7-066-36	Hammer Guide for Tarsus Nail	1
7-066-37	Connecting Screw for Spiral Blade Inserter for Tarsus Nail	1
7-066-38	Extraction Screw for Tarsus Nail	1
7-066-39	Cannulated Shaft, Hex 8mm for Tarsus Nail	1
7-066-40	3.2mm Threaded Guide Wire, Length 400mm for Tarsus Nail	1
7-066-41	Container for Tarsus Nailing Instrument Set	1

7-006 Flexible Reamer Instrument set



1459-006 Flexible Reamer Shaft (AO Connection)



Reamer Head

Code	Dia	Code	Dia
7-006-01	Ø8mm	1459-015	Ø12mm
1459-008	Ø8.5mm	1459-016	Ø12.5mm
1459-009	Ø9mm	1459-017	Ø13mm
1459-010	Ø9.5mm	1459-018	Ø13.5mm
1459-011	Ø10mm	1459-019	Ø14mm
1459-012	Ø10.5mm	7-006-02	Ø14.5mm
1459-013	Ø11mm	7-006-03	Ø15mm
1459-014	Ø11.5mm		





USA

Auxein Inc.
1500 Nw 89th Court, Suite 107-108
Doral, Florida 33172
Tel: +1 305 395 6062
E Fax: +1 305 395 6262
Email: USoffice@auxein.com

MEXICO

Auxein México, S.A. de C.V.
Tepic 139 int 801, Colonia Roma Sur,
Alcaldía Cuauhtémoc, CDMX,
México, C.P. 06760
Tel: +521 55 7261 0318
Email: info@auxein.mx

INDIA

Auxein Medical Pvt. Ltd.
Plot No. 168-169-170, Phase-4,
Kundli Industrial Area,
HSIIDC, Sector-57, Sonapat - 131028, Haryana
Tel: +91 99106 43638 | Fax: +91 86077 70197
Email: info@auxein.com